THEHEALTHYCPA Brought to you by CalCPA Health

Friendships Foster Good Health

Adult friendships create meaningful social connections.

More than ever since COVID-19, we've seen firsthand the impacts of loneliness and social isolation on people. Staying connected through adult friendships can help us overcome any negative impact of aging.

In fact, research has shown that having close friends may help add years to your life. One study suggested that those with a larger social network had lower



mortality at a ten-year follow-up than those with a smaller social network.

Specifically, adults with strong social connections were shown to have a reduced risk of significant health problems, including depression, high blood pressure and an unhealthy body mass index. And of course, companionship can also improve your self-confidence and reduce stress.

However, the 2021 American Perspectives Survey found that Americans report having fewer close friendships than they once did. The good news is that it's more about **quality** than *quantity*.

Maintaining friendships as a busy adult can be challenging at times. To connect well with other people, it helps to be yourself and be available to friends by making your relationships a priority. To nurture friendship, make time for those you care about. Be present by connecting regularly. Show up for your friends, especially when it could matter the most to them.

Be the friend you want to have, and lead with kindness and compassion. You can show your trust as a friend by sharing and asking for help when the time comes.

The Smart Moves Toolkit, including this issue's printable download, Eating Plan for Life, is at personalbest.com/extras/24V3tools.

BEST bits

• Save Your Vision Month in March is a reminder to take care of your vision. As life becomes more digital, staring at a screen for prolonged periods can cause eye strain. Schedule regular eye exams and take precautions to protect your eyes. A recent survey found that the average American spends at least seven hours a day using electronic devices; constant, unrelieved use can cause eye strain and dry eyes, as well as disturb our sleep patterns. Practice the **20-20 rule:** After 20 minutes of staring at a screen, look away toward an object 20 feet away for 20 seconds.

• Severe weather doesn't end with winter. As we transition from snow and cold to sunshine and warmth, try to be prepared in advance for wild weather that may frequent your area, including tornadoes, heavy rain, lightning and damaging winds. When outdoors, wear layers of warm, wet-proof clothing. Learn more at

weather.gov/ind/preparedness. To find weather and safety events in your state, check the NWS Weather and Water Preparedness Events Calendar at

weather.gov/safety/events_calendar.

• Do you need 10,000 steps a day? People younger than 60 should try to walk 8,000 to 10,000 steps a day to achieve maximum fitness benefits that support life expectancy and cardiovascular health. Fitness tracking devices often advise taking 10,000 steps a day, but taking far fewer can still be beneficial, according to the Harvard School of Public Health. If you're older than 60, you may achieve a healthy benefit between 6,000 and 8,000 steps.

• More than 5.3 million Americans are living with brain injuries. Young people between the ages of 15 and 24, children under age five, and adults older than age 75 sustain the most brain injuries in the U.S. The Brain Injury Association of America is putting a spotlight during Brain Injury Awareness Month on the importance of preventing brain injuries where possible. It's also an opportunity to learn about brain injury survivors' individual experiences and to help find ways to improve their care. To learn more, go to

How's Your Sleep?

The quality of your sleep affects your mood, health and work. Sleep Awareness Week, from March 10 to 16, was started 26 years ago by the National Sleep Foundation (NSF) to encourage people to think about the importance of their snooze time and to take action if they aren't getting adequate, restful sleep.

Studies have mounted over the decades showing sleeping enough — and sleeping **soundly** — is linked to better physical and mental health, including a stronger immune system and less depression, according to the NSF. And not getting enough shut-eye raises the risk of accidents and lowers productivity, too.

Not getting enough sleep creates sleep debt. Eventually, your body will demand that the debt be repaid. If you are burning the candle at both ends, there's a good chance you're deep in debt.

If you wake up not feeling rested, the NSF offers these strategies to help improve your sleep:

- → Don't skimp on shut-eye. Adults need seven to nine hours of sleep each night. It's important to keep to a regular sleep schedule, including the weekends.
- Exercise regularly. You don't want to do a vigorous activity right before bedtime, but regular low-impact fitness activities, such as walking or swimming, are helpful for improving sleep quality.
- → Say no to large, heavy meals late at night. A light dinner about two to three hours before bedtime is best for digestion and sleep.

- Unwind before sleep by taking a relaxing bath, reading, or listening to soothing music.
- → Make sure your bedroom is sleep-friendly. Turn off your phone and any other devices an hour before bed. Keep your bedroom dark (invest in light blocking curtains or shades, if needed).
- → If you wake up still tired, it's important to find out why, and take action. You may have an undiagnosed but treatable health problem, such as sleep apnea. Schedule a checkup with your health care provider.

Are you getting enough sleep? Check the statements below that apply:

- □ I have trouble falling asleep.
- □ I have too much on my mind to fall asleep or go back to sleep.
- □ I need more than 30 minutes to fall asleep.
- □ I can't go back to sleep when I wake up during normal bedtime.
- □ I wake up too early.
- □ I feel tired upon waking, despite apparent normal sleep.
- □ I awaken frequently during sleep time.
- □ I have uncontrolled episodes of falling asleep during the day.

Benefits of Weighted Gloves



Weighted gloves build strength and stamina and tone arms. Lifting dumbbells and working out with resistance machines aren't new, but using weighted gloves can be a more convenient and less complicated way to add weight training to your fitness quest.

Previously, mainly boxers have used heavy, weighted gloves when they work out with punching bags. Now anyone can choose from a wide variety of gloves with small weights at sporting goods stores and online.

Weighted gloves for exercise typically have pocket-type holders on the backs which hold the weights (usually ½ to 1 pound for beginners and up to 4 pounds for the more fit). Some come with several different weights so you can add or subtract the amount from the gloves. It's important to make sure the gloves have secure but comfortable straps, too.

So, if you're not a boxer, what can you do with weighted gloves? Boosting your walking routine while carrying the extra weight is one of the easiest activities. You'll burn more calories. The gloves also add extra resistance to strengthen your upper body. Walking regularly with weighted gloves can strengthen bone density, reducing the risk of osteoporosis, too. You can also increase cardiovascular fitness and build stamina.

If gloves aren't for you, try wearing weights on your ankles and wrists. While all can help fitness if used safely, talk to your health care provider before you use any wearable weights if you have back, joint, or balance problems or other chronic conditions.

PB4.U®

How much sleep do you need?

It depends on your age and circumstances. The NSF recommends the following:

Adults age 18 and older	7 to 9 hours	
Teens	8 to 10 hours	
Children 6 to 12 years old	9 to 12 hours 10 to 13 hours, including naps 11 to 14 hours,	
Preschoolers		
3 to 5 years old		
Toddlers 1 to 3 years		
	including naps	

Infants 1 to 12 months

12 to 16 hours, including naps

You may need more or less sleep,

depending on your health and lifestyle. For example, if you have the flu or COVID, getting extra sleep is essential for your recovery.

How did you do?

If you experience two or more of these

situations regularly, you may have developed a problematic sleep pattern — one that may be interfering with your health and safety. Read on for some sleep-friendly tips that can help you get more shut-eye.

Don't fall for FOMO. Fear of missing out is a form of social anxiety. It's the perception (often inaccurate) fueled by social media that others are having more fun, are more popular, or are more successful than you. We're not all prone to FOMO, according to Washington State University (WSU) researchers studying FOMO. However, loneliness or low self-esteem can fuel it. To reduce or avoid FOMO, the WSU team advises self-compassion. Focus on the present, real moment. Use social media less or cut it off altogether for a while and lessen loneliness by engaging more with coworkers and real-life friends.



TIP of the MONTH

Hyper-Palatable Foods

Many popular ultra-processed snacks were created by food companies once owned by tobacco conglomerates, which are wellknown for creating addictive cigarettes. These companies added the perfect amount of salt, sugar or fat (the bliss point) to make foods hyper-palatable, so people would crave and eat more of them. A new study found that food products owned by tobacco companies between 1988 and 2001 were 80% more likely to contain hyperpalatable combinations of carbs and sodium compared to other foods. Think before you eat; keep in mind what's in the manufactured foods you consume. Have a single portion of your favorite snack and save the rest for another occasion, rather than overeating.

Dietitian's Grocery List

By Cara Rosenbloom, RD

It's easier to prepare nutritious meals and snacks when you plan them in advance. An important first step in planning is grocery shopping for the right ingredients and properly stocking your fridge, freezer and pantry.

Some people create a meal plan and know what they will cook each night. Others prefer to rely on a well-stocked kitchen so they can prepare meals in a pinch. If you prefer the latter, this grocery list should keep you supplied for delicious last-minute meals.

Pantry:

- \Box Canned fish
- Brown rice
- □ Assorted noodles: pasta,
- rice noodles, etc.
- ☐ Whole grains, such as quinoa and oats
- □ Nuts and seeds
- □ Peanut butter
- Canned tomatoes and tomato sauce

 \Box Whole-grain crackers

Fridge:

Milk or non-dairy alternative
 Eggs
 Greek yogurt

- □ Cheese
- □ Salad greens: spinach, romaine, kale, etc.
- ☐ Vegetables: broccoli, carrots, sweet peppers, etc.
- \Box Fruits: apples, berries, melons, etc.
- Condiments: mayonnaise, mustard, soy sauce, etc.

Freezer:

- □ Frozen vegetables, such as peas, broccoli and stir-fry mix
- □ Frozen fruit, such as peaches, mango and berries
- \Box Chicken
- □ Fish and seafood, such as salmon and shrimp

Countertop:

- \Box Bread, pita and tortillas
- ☐ Fruits and vegetables kept at room temperature: tomatoes, avocado, bananas, etc.

Dark cupboard:

- \Box Onions
- \Box Potatoes and sweet potatoes
- □ Garlic

Staples to have on hand:

- Extra-virgin olive oil or other cooking oils
- \Box Vinegar (cider, rice, balsamic)
- \Box Salt and pepper
- \Box Favorite dried herbs and
 - spices

You can mix and match the foods from this shopping list to make delicious meal combinations, such as:

- **Shrimp stir-fry:** Frozen stir-fry vegetables, shrimp, noodles.
- Chicken dinner: Chicken, broccoli, leafy greens, quinoa.
- Pasta bake: Pasta, tomato sauce, canned chickpeas, cheese.
- Vegetable fried rice: Eggs, brown rice, frozen peas, carrots.
- PB and banana roll-ups: Peanut butter, banana, tortilla or pita.

Egg and Vegetable Fried Rice

2 tbsp extra-virgin olive oil, divided	2 clo
6 eggs, whisked	4 cu
2 medium carrots, peeled and diced	bro
1 onion, diced	3 gre
1 cup frozen shelled edamame	3 tbs
1 cup frozen peas	1 tsp

- 2 cloves garlic, minced4 cups cooked and cooled brown rice3 green onions, thinly sliced
- 3 tbsp sodium-reduced soy sauce

1 tsp toasted sesame oil

Heat 1 tbsp olive oil in large pan over medium heat. **Add** egg, scramble until cooked and remove to a plate. **Add** remaining olive oil, then add carrots, onion, edamame, peas and garlic. **Sauté** 6-7 minutes until onion and carrots soften. **Add** cooked rice, green onions and soy sauce. **Stir** to combine and cooke about 3 minutes to heat rice through. **Add** eggs and sesame oil. **Stir** to combine and serve warm.

Makes 4 servings. Per serving: 410 calories | 19g protein | 17g total fat | 4g saturated fat 8g mono fat | 4g poly fat | 48g carbohydrate | 5g sugar (0g added sugar) | 6g fiber | 523mg sodium





Stay in Touch

Keep those questions and suggestions coming!

 Phone:
 800-871-9525

 Fax:
 205-437-3084

 Email:
 PBeditor@ebix.com

 Website:
 personalbest.com

Executive Editor: Susan Cottman • Advisers: Patricia C. Buchsel, RN, MSN, FAAN; Jamie Lynn Byram, PhD, CFP, AFC, MBA; Eric Endlich, PhD; Kenneth Holtyn, MS; Reed Humphrey PhD; Gary B. Kushner, SPHR, CBP; Zorba Paster, MD; Cara Rosenbloom, RD; Elizabeth Smoots, MD; Margaret Spencer, MD • Editor: Aimie Miller • Designer: Sheila Nupen

The content herein is in no way intended to serve as a substitute for professional advice. Sources available on request. @ 2024 Ebix Inc. All rights reserved. Unauthorized reproduction in any form of any part of this publication is a violation of federal copyright law and is strictly prohibited.

Personal Best® 1 Ebix Way, Johns Creek, GA 30097 • 800-871-9525 • fax 205-437-3084.

There's mixed news about colorectal cancer.



The good news is regular screenings and removal of precancerous polyps have lowered rates of colorectal cancer in older Americans. But unfortunately, more people age 45 and younger are being diagnosed with the disease. Colorectal Cancer Awareness Month in March is a reminder to contact your health care provider about screening options if you are age 45 or older. No matter your age, share your personal and family health history with your provider. You may need colorectal cancer screenings before age 45 or more frequently than normal if you have a family history of the disease.



An exclusive CalCPA member benefit.

Where can

I find the

best doctor?

How much will

that procedure

cost?

Is surgery my

only option?

1800 Gateway Drive, Suite 130 San Mateo, CA 94404 CalCPAHealth.com

Questions about Health Insurance? LTD? Life insurance? Dental and vision?

The Employee Benefit Hotline is a member resource for health benefit questions.

Learn More

Daylight Saving Time and Your Health

Daylight saving time (DST) impacts your body's natural rhythms. And the result can be far more than feeling extra sleepy after setting your clock forward an hour on March 10. The reason? The shift in time disrupts the body's natural rhythms.

Proponents of DST assumed it would make better use of more daylight in spring and summer and more sunlight exposure would boost moods. But research shows DST is associated with psychological disturbances, weight gain, increases in heart attacks and strokes and even more car crashes.

Daylight saving time can affect your health because of how the time change impacts circadian rhythm: the body's natural 24-hour biological cycle, set by the timing and daily amount of bright light exposure. During DST, which lasts until early November, your body gets less light in the morning and more light in the evening, which can disrupt your circadian rhythm The American Academy of Sleep Medicine and other sleep experts advise eliminating DST, but they've been unsuccessful. However, these tips may help you fare better during daylight saving time:

- For one to two days leading up to the switch to DST, get outside in the morning. More natural morning light can help preserve your circadian rhythm.
- The night before DST begins, go to bed one hour earlier than normal to prepare. Avoid caffeine, alcohol and blue light exposure one to two hours before bedtime.
- Exercise in the morning can increase wakefulness. It helps reset your internal clock, too.



Extend Your Ladder Knowledge

Ladder safety is basic — place the ladder on stable, even ground; inspect the ladder before use; keep three points of contact when ascending and descending the ladder; never carry tools or other objects in your hands while using a ladder and wear shoes that grip.

However, there are extra guidelines for extension ladders:

Read specific manufacturer's instructions regarding extension ladders — there are different guidelines for special situations.

Ensure that you don't place an extension ladder upside down.

Don't exceed the load rating of your ladder. Remember to include the weight of tools, materials and equipment. **Set** the ladder at the proper angle. For example, when leaning a ladder against a wall, the bottom of the ladder should be one-quarter of the ladder's working, extended length away from the wall.

Use extra care when getting off and on the ladder. Avoid tipping the ladder sideways or causing the base to slide off.



Don't step or stand higher than the step label that marks the highest standing level.

Always extend the ladder three feet above the landing when accessing an elevated work surface.

Never use an extension ladder horizontally like a platform.